# **EXP1-40L (4W) RE HEPA (FR-P) SERIES**

Dry Recovery Only or Wet & Dry Version

The name to vacuum with



EXP1 models certified for: Class I, Group D, Class II, Groups E, F and G



**GUARANTEED** to be capable of safely recovering combustible/conductive dusts &/or flammable liquids.

#### Characteristics









Explosion Proof Resistivity: Less HEPA Included than 10 ohms

Dry Recovery









Stainless Steel

Dissipating Toolkit

High Efficiency Shooting Range Approved



- Legally certified explosion proof/dust ignition proof by a recognized testing laboratory
- Less than 10 Ohms of resistivity
- HEPA Filter Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001.3. H14 by MPPS method as per EN 1822.
- Designed for the recovery of flammable and toxic powders such as unspent gunpowder and lead contaminants
- Ideal for shooting ranges, army ammunition depots, manufacturers of firearms and pyrotechnic industries
- Single phase explosion proof/dust ignition proof motor
- For dry recovery only. Optional Floater System available for liquid recovery
- All stainless steel SAE 304 construction.
- Recovery capacity of 10.5 gallons (40 liters)
- Equipped with an SD\* polyliner and clip for easy and safe disposal of recovered materials
- Equipped with an SD\* 4-wheel dolly for easy manoeuverability
- Complete static dissipating tool kit and suction hose included

SD\* Static Dissipative

All stainless steel SAE 304 construction (except cart). Less than 10 Ohms of resistivity. This unit is equipped with a true HEPA (H14) Filter located downstream of the motor. This unit has been designed for the recovery of flammable and toxic powders such as unspent gunpowder and lead contaminants. This unit is ideal for shooting ranges, army ammunition depots, manufacturers of firearms and pyrotechnic industries. This unit includes poly liners for the safe and easy disposal of recovered materials. This is a dry recovery only vacuum cleaner. An optional Floater System can be installed for liquid recovery. All of our HEPA vacuum cleaners are Aerosol Leak Tested before leaving our facility.

Specifications

	Unit	EXP1-40L (4W) RE HEPA (FR-P)	EXP1-40L (4W) RE HEPA (FR-P) W&D
Part#		111334A	111335A
Weight	kg	35	38
Filter Cleaning		NONE	NONE
Decibels	dB	75	75
Dimensions	cm	H104 × W74 × L48	H104 × W53 × L61
Wet Recovery	L	N/A	37.9
Dry Recovery	L	37.9	37.9
Vacuum Pressure	mm H <sub>2</sub> O	1752.6	1752.6
Air Flow	m <sup>3</sup> /h	224	224
Phase		Single	Single
Horse Power	HP	1.3	1.3
Amperage	А	9	9
Wattage	W	1000	1000
Hertz	Hz	60	60
Voltage	V	120	120
Plug		Not Inc.	Not Inc.

### High Efficiency Particulate Air Filter

A HEPA filter is a type of air filter, which means it filters the air coming in or out of the vacuum cleaner system. It can remove at least 99.99% of dust, pollen, mould, bacteria and any other airborn particles with a size of 0.3 micron or larger.

North-America: Each HEPA Filter has a minimum filtration efficiency of 99.99% on 0.3 micron. Tested as per IEST-RP-CC001.3.

Europe: Each HEPA Filter has a minimum filtration efficiency of 99.995% on 0.3 micron, rated H14 as per EN 1822 by MPPS method.

Click here to download Tiger-Vac's HEPA Filter's standards chart.

## **Explosion Proof Requirement**

In order for Tiger-Vac to legally certify an Explosion Proof/Dust Ignition Proof vacuum cleaner system the unit must be static dissipative (SD\*) and conductive and have a resistivity measuring less than 10 Ohms to any point on the vacuum cleaner system. This makes the unit eligible to be Explosion Proof/Dust Ignition Proof and be part of Tiger-Vac's quality control management system ISO 9001:2008. When using a pneumatic Explosion Proof Vacuum Cleaner System the customer must make sure that the source of air supply (compressor) is grounded.

## **Ex-Mat Recovery**



Tiger-Vac, as the manufacturer, GUARANTEES, that these units can be used to safely recover combustible /conductive dusts and/or flammable liquids.

The ATEX marking certifies only, by it's Ingress of Protection (IP), the capacity of the vacuum cleaner to be in the presence of combustible /conductive dusts and/or flammable liquids but does not certify the capacity of the vacuum cleaner to recover them.

EXPLOSION PROOF TOOLS AND ACCESSORIES - MANDATORY FOR USE WHEN RECOVERING CONDUCTIVE, METAL AND PYROTECHNIC DUST. STATIC DISSIPATIVE (LESS THAN 10 OHMS) - Included			
Part#	Qty	Description	
381400B	1	KANAFLEX SUCTION HOSE ASSEMBLY SD* Ø1.5"(38mm)x10'(3m)W/HOSE CUFF&RING FOR USE WITH 2"(50mm)CAMLOCK	
381364A	1	WAND ASSEMBLY (2PCS) -STAINLESS STEEL WITH ALUMINUM ATTACHMENT & TAPER FOR USE WITH HOSE CUFF&RING	
381236	1	UNIVERSAL TOOL SD* W/CONDUCTIVE BRUSH STRIPS RUBBER BLADES BRASS AXLE&WHEELS Ø1.5"(38mm)x18"(45.7cm)	
381372D	1	CREVICE TOOL Ø1.5"(38mm)x11"(27.9cm) -STAINLESS STEEL (FOR USE WITH HOSE CUFF & RING)	
381185DA	1	DUSTING BRUSH -ALUMINUM SD* 5"(12.5cm) WITH CONDUCTIVE BRISTLES FOR USE WITH HOSE CUFF & RING	
383462D	1	CONICAL NOZZLE ASSEMBLY w/CURVED TIP 10"(25cm)CONDUCTVE RUBBER FOR HOSE CUFF&RING(383462M+381147D)	
211065	1	GROUND CONTINUITY TESTER	

STATIC CONDUCTIVE TOOLS AND ACCESSORIES (RESISTIVITY OF 10/3 - 10/5) - Optional				
Part#	Qty	Description		
383440B	1	STATIC CONDUCTIVE CRUSHPROOF SUCTION HOSE ASSEMBLY(NO WIRE)Ø1.5"(38mm)x10'(3m) FOR 2" CAMLOCK INTAKE		
381364	1	WAND ASSEMBLY (2PC) STAINLESS STEEL WITH ALUMINUM ATTACHMENT		
381236	1	UNIVERSAL TOOL SD* W/CONDUCTIVE BRUSH STRIPS RUBBER BLADES BRASS AXLE&WHEELS Ø1.5"(38mm)x18"(45.7cm)		
381188	1	CREVICE TOOL SD* 11"(27.9cm) -ALUMINUM		
381185A	1	DUSTING BRUSH SD* WITH STAINLESS STEEL COUPLING & CONDUCTIVE BRISTLES 5"(12.5cm) -ALUMINUM		
383462	1	CONICAL NOZZLE ASSEMBLY W/CURVED TIP 10"(25cm) CONDUCTIVE RUBBER FOR NON WIRE HOSE (323562+381155)		

GROUNDING REEL - Optional		
Part#	Qty	Description
211191	1	GROUNDING REEL WITH STAINLESS STEEL CABLE WITH AIRCRAFT GROUNDING CLAMP 50'(15m)

#### **WARNINGS:**

For the recovery of metallic dusts, it is recommended that this unit be used in conjunction with an immersion separator

Only tools and accessories provided by Tiger-Vac shall be used with this vacuum cleaner. Any other tools used will render the warranty null and void and may cause an explosion which could result in bodily harm. Tiger-Vac will not assume any responsiblity for damage that may occur due to the improper use or handling of the vacuum cleaner system.